

L Number	Hits	Search Text	DB	Time stamp
-	7	((hierarchical or hierarchy) same (document) same (revision)) and @ad<19980514	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/01/31 15:23
-	0	(707/511.ccls. or 707/514.ccls.) and @ad<19980514	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/01/26 23:10
-	4	(707/511.ccls. or 707/514.ccls.)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/01/26 23:12
-	3	707/511.ccls.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/01/26 23:10
-	1	707/514.ccls.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/01/26 23:10
-	390	AUTODESK AUTODESK-INC "AUTODESK-INC."	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/01/30 13:23
-	197	(AUTODESK AUTODESK-INC "AUTODESK-INC.") and @ad<19980514	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/01/30 13:21
-	140	(HUTCHINSON-JOHN\$ or SABADELL).in.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/01/26 23:18
-	119	(AUTODESK AUTODESK-INC "AUTODESK-INC.").as.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/01/27 17:01
-	40	((AUTODESK AUTODESK-INC "AUTODESK-INC.").as.) and @ad<19980514	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/01/26 23:36
-	101	((HUTCHINSON-JOHN\$ or SABADELL).in.) and @ad<19980514	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/01/26 23:19
-	0	((((AUTODESK AUTODESK-INC "AUTODESK-INC.").as.) and @ad<19980514) and (((HUTCHINSON-JOHN\$ or SABADELL).in.) and @ad<19980514)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/01/26 23:20
-	16	((((AUTODESK AUTODESK-INC "AUTODESK-INC.").as.) and @ad<19980514) or (((HUTCHINSON-JOHN\$ or SABADELL).in.) and @ad<19980514)) and (translate or translating or translation)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/01/26 23:21
-	5	(((((AUTODESK AUTODESK-INC "AUTODESK-INC.").as.) and @ad<19980514) or (((HUTCHINSON-JOHN\$ or SABADELL).in.) and @ad<19980514)) and (translate or translating or translation)) and (format or revision)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/01/26 23:32
-	0	(((((AUTODESK AUTODESK-INC "AUTODESK-INC.").as.) and @ad<19980514) or (((HUTCHINSON-JOHN\$ or SABADELL).in.) and @ad<19980514)) and (filter adj object)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/01/26 23:33
-	2	file and (revision adj management) and (translate or translation or translating)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/01/26 23:35
-	54	(CAD and CAM) and (translate or translation) and (covert or conversion) and (filter or sort or sift)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/01/26 23:36

-	28	((CAD and CAM) and (translate or translation) and (covert or conversion) and (filter or sort or sift)) and @ad<19980514	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/01/26 23:38
-	0	(version adj management) same (format and translation) same (hierarchy or hierarchical) and @ad<19980514	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/01/27 18:51
-	928	(hierarc\$4) with (document)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/01/27 17:27
-	13	updat\$3 with ((hierarc\$4) with (document))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/01/27 16:54
-	38	edit\$3 with ((hierarc\$4) with (document))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/01/27 16:54
-	0	format\$3 with different same (edit\$3 with ((hierarc\$4) with (document)))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/01/27 16:55
-	6	format\$3 with different same ((hierarc\$4) with (document))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/01/27 17:01
-	1	"4739477".PN.	USPAT; US-PGPUB	2003/01/27 16:57
-	22	(hierarchical or hierarchy) same (document) same (revision)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/01/27 16:59
-	87	AUTODESK and hierarch\$5	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/01/27 17:07
-	23	format\$3 with different and (AUTODESK and hierarch\$5)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/01/27 17:02
-	2	format\$3 adj4 different and (AUTODESK and hierarch\$5)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/01/27 17:07
-	2239	format\$3 adj4 translat\$3	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/01/27 17:05
-	8	(hierarc\$4) same (format\$3 adj4 translat\$3)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/01/27 17:05
-	100	cadam	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/01/27 17:07
-	7	AUTODESK and cadam	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/01/27 17:21
-	1	AUTODESK with different with format\$2	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/01/27 17:23
-	0	AUTODESK with translat\$3 with format\$2	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/01/27 17:23

-	0	AUTODESK with translat\$3 same format\$2	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/01/27 17:23
-	0	AUTODESK with translat\$3	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/01/27 17:23
-	34	AUTODESK with format\$3	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/01/27 17:24
-	0	(hierarc\$4) with spell with check\$2	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/01/27 17:26
-	0	hierarc\$4 with spell with check\$2	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/01/27 17:26
-	0	hierarc\$4 with spell\$3 with check\$2	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/01/27 17:27
-	4	hierarc\$4 with spell\$3	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/01/27 17:27
-	270	spell adj checker	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/01/27 17:27
-	159	spelling adj checker	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/01/27 17:27
-	415	(spell adj checker) or (spelling adj checker)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/01/27 17:27
-	17	((hierarc\$4) with (document)) and ((spell adj checker) or (spelling adj checker))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/01/27 17:29
-	18	(format\$3 adj4 translat\$3) and ((spell adj checker) or (spelling adj checker))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/01/27 18:22
-	32	DWG with (standard or format)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/01/27 18:48
-	856	(STEP or VDAFS or IGES) with (translator)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/01/27 18:49
-	580	((STEP or VDAFS or IGES) with (translator)) and @ad<19980514	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/01/27 18:51
-	0	((((STEP or VDAFS or IGES) with (translator)) and @ad<19980514) and autodesk.as.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/01/27 18:51
-	1	6341291.pn.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/01/28 11:53
-	1	"5437027".PN.	USPAT	2003/01/28 11:46
-	1	"5546595".PN.	USPAT	2003/01/28 11:46
-	1	"5815415".PN.	USPAT	2003/01/28 11:46
-	1	"5911074".PN.	USPAT	2003/01/28 11:46

-	755	707/203.ccls.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/01/28 11:57
-	167	707/203.ccls. and translat\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/01/28 11:57
-	12	(707/203.ccls. and translat\$4) and CAD	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/01/28 11:58
-	1	"4855906".PN.	USPAT	2003/01/28 12:00
-	1	"5551055".PN.	USPAT	2003/01/28 12:00
-	1	"5812130".PN.	USPAT	2003/01/28 12:00
-	1	"5995980".PN.	USPAT	2003/01/28 12:00
-	1	"6061683".PN.	USPAT	2003/01/28 12:00
-	1	"6098078".PN.	USPAT	2003/01/28 12:00
-	11	(object adj oriented) same (copy adj constructor)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/01/30 13:21
-	3	((object adj oriented) same (copy adj constructor)) and @ad<19980514	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/01/30 16:25
-	595	file adj conversion	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/01/30 14:19
-	25	(file adj conversion) and (file adj object)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/01/30 14:20
-	11	((file adj conversion) and (file adj object)) and @ad<19980514	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/01/30 14:56
-	1	6088739.pn.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/01/30 14:56
-	1	6088739.pn. and translate	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/01/30 16:25
-	331	object adj translation	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/01/30 16:31
-	243	(object adj translation) and @ad<19980514	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/01/30 16:32
-	0	((object adj translation) and @ad<19980514) and ((version adj tracking) or (revision adj tracking))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/01/30 16:33
-	3	((object adj translation) and @ad<19980514) and (versioning)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/01/30 16:33
-	14935	(object or file or format) same translation	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/01/30 17:03
-	9899	((object or file or format) same translation) and @ad<19980514	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/01/30 17:04

-	0	((object or file or format) same translation) and @ad<19980514) and ((version adj tracking) or (revision adj tracking))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/01/30 16:33
-	42	((object or file or format) same translation) and @ad<19980514) and (versioning)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/01/30 17:04
-	16838	(object or file or format) with (translate or translating or translation)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/01/30 17:04
-	11411	((object or file or format) with (translate or translating or translation)) and @ad<19980514	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/01/30 17:04
-	60	((object or file or format) with (translate or translating or translation)) and @ad<19980514) and (versioning)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/01/30 17:05
-	59	((object or file or format) with (translate or translating or translation)) and @ad<19980514) and (versioning)) and object	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/01/30 20:08
-	1	5437027.pn. and version\$3	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/01/30 20:10
-	3	(object) with (database) with (version\$3) with (translat\$3) and @ad<19980514	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/01/30 20:12
-	14	((object) same (database) same (version\$3) same (translat\$3)) and @ad<19980514	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/01/30 20:24
-	2	5586329.pn. or 5586330.pn.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/01/30 20:25
-	1	6253213.pn.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/01/31 15:23
-	1	"4855906".PN.	USPAT	2003/01/31 15:23
-	1	"5551055".PN.	USPAT	2003/01/31 15:23
-	1	"5812130".PN.	USPAT	2003/01/31 15:24
-	1	"5995980".PN.	USPAT	2003/01/31 15:24
-	1	"5995980".PN.	USPAT	2003/01/31 15:24
-	1	"6061683".PN.	USPAT	2003/01/31 15:24
-	1	"6098078".PN.	USPAT	2003/01/31 15:25